Contents:

Volume 115, Number 1, October 1991

1 **Human cyclins A and B1 are differentially located in the cell and undergo cell cycle-dependent nuclear transport.**
J. Pines and T. Hunter

19 **A Golgi retention signal in a membrane-spanning domain of coronavirus E1 protein.**
A. M. Swift and C. E. Machamer

31 **Rablb regulates vesicular transport between the endoplasmic reticulum and successive Golgi compartments.**
H. Plutner, A. D. Cox, S. Pind, R. Khosravi-Far, J. R. Bourne, R. Schwaninger, C. J. Der, and W. E. Balch

45 **Naturally occurring mutations in intestinal sucrase-isomaltase provide evidence for the existence of an intracellular sorting signal in the isomaltase subunit.**
J. A. M. Fransen, H.-P. Hauri, L. A. Ginsel, and H. Y. Naim

59 **Calcium transients during Fc receptor-mediated and non-specific phagocytosis by murine peritoneal macrophages.**
T. Hishikawa, J. Y. Cheung, R. V. Yelamarty, and D. W. Knutson

67 **Dual-view microscopy with a single camera: Real-time imaging of molecular orientations and calcium.**
K. Kinosita, Jr., H. Itoh, S. Ishiwata, K. Hirano, T. Nishizaka, and T. Hayakawa

75 **Lateral diffusion of membrane-spanning and glycosyl-phosphatidylinositol-linked proteins: Toward establishing rules governing the lateral mobility of membrane proteins.**
F. Zhang, B. Crise, B. Su, Y. Hou, J. K. Rose, A. Bothwell, and K. Jacobson

85 **The influence of afferent lymphatic vessel interruption on vascular addressin expression.**
R. E. Mebius, P. R. Streeter, J. Brevé, A. M. Duijvestijn, and G. Kraal

97 **Nebulin as a length regulator of thin filaments of vertebrate skeletal muscles: Correlation of thin filament length, nebulin size, and epitope profile.**
M. Kruger, J. Wright, and K. Wang

109 **Immunolocalization of myosin I heavy chain kinase in *Acanthamoeba castellanii* and binding of purified kinase to isolated plasma membranes.**
D. Kulesza-Lipka, I. C. Baines, H. Brzeska, and E. D. Korn

121 **Phosphoinositide kinase, diacylglycerol kinase, and phospholipase C activities associated to the cytoskeleton: Effect of epidermal growth factor.**
B. Payrastre, P. M. P. van Bergen en Henegouwen, M. Breton, J. C. den Hartigh, M. Plantavid, A. J. Verkleij, and J. Boonstra

129 **A human centrosomal protein is immunologically related to basal body-associated proteins from lower eucaryotes and is involved in the nucleation of microtubules.**
M. Moudjou, M. Paintrand, B. Vigues, and M. Bornens

141 **Isolation and purification of gap junction channels.**
K. A. Stauffer, N. M. Kumar, N. B. Gilula, and N. Unwin

151 **Colocalization of synaptophysin with transferrin receptors: Implications for synaptic vesicle biogenesis.**
P. L. Cameron, T. C. Südhof, R. Jahn, and P. De Camilli

165 **Extracellular synaptic factors induce clustering of acetylcholine receptors stably expressed in fibroblasts.**
D. S. Hartman, N. S. Millar, and T. Claudio

179 **Coordinate developmental regulation of purine catabolic enzyme expression in gastrointestinal and postimplantation reproductive tracts.**
D. P. Witte, D. A. Wiginton, J. J. Hutton, and B. J. Aronow

191 **Metastatic behavior of human melanoma cell lines in nude mice correlates with urokinase-type plasminogen activator, its type-1 inhibitor, and urokinase-mediated matrix degradation.**
P. H. A. Quax, G. N. P. van Muijen, E. J. D. Weening-Verhoeff, L. R. Lund, K. Danø, D. J. Ruiter, and J. H. Verheijen

201 **Paxillin is a major phosphotyrosine-containing protein during embryonic development.**
C. E. Turner

209 **The complete primary structure of type XII collagen shows a chimeric molecule with reiterated fibronectin type III motifs, von Willebrand factor A motifs, a domain homologous to a noncollagenous region of type IX collagen, and short collagenous domains with an Arg-Gly-Asp site.**
M. Yamagata, K. M. Yamada, S. S. Yamada, T. Shinomura, H. Tanaka, Y. Nishida, M. Obara, and K. Kimata

223 **Coexpression of GMP-140 and PAF by endothelium stimulated by histamine or thrombin: A juxtacrine system for adhesion and activation of neutrophils.**
D. E. Lorant, K. D. Patel, T. M. McIntyre, R. P. McEver, S. M. Prescott, and G. A. Zimmerman

235 **The complement binding-like domains of the murine homing receptor facilitate lectin activity.**
S. R. Watson, Y. Imai, C. Fennie, J. Geoffrey, M. Singer, S. D. Rosen, and L. A. Lasky

245 **Influence of receptor lateral mobility on adhesion strengthening between membranes containing LFA-3 and CD2.**
P.-Y. Chan, M. B. Lawrence, M. L. Dustin, L. M. Ferguson, D. E. Golan, and T. A. Springer

257 **Molecular cloning and expression of the cDNA for α_3 subunit of human $\alpha_3\beta_1$ (VLA-3), an integrin receptor for fibronectin, laminin, and collagen.**
Y. Takada, E. Murphy, P. Pil, C. Chen, M. H. Ginsberg, and M. E. Hemler

267 **Ankyrin binds to the 15th repetitive unit of erythroid and nonerythroid β-spectrin.**
S. P. Kennedy, S. L. Warren, B. G. Forget, and J. S. Morrow

279 **Correction**

Volume 115, Number 2, October 1991

289 **Maturation of the yeast plasma-membrane [H$^+$]ATPase involves phosphorylation during intracellular transport.**
A. Chang and C. W. Slayman

297 **Posttranslational processing of the prohormone-cleaving Kex2 protease in the *Saccharomyces cerevisiae* secretory pathway.**
C. A. Wilcox and R. S. Fuller

309 **The small GTP-binding protein Rholp is localized on the Golgi apparatus and post-Golgi vesicles in *Saccharomyces cerevisiae*.**
M. McCaffrey, J. S. Johnson, B. Goud, A. M. Myers, J. Rossier, M. R. Popoff, P. Madaule, and P. Boquet

321 **Physiologically active chloroplasts contain pools of unassembled extrinsic proteins of the photosynthetic oxygen-evolving enzyme complex in the thylakoid lumen.**
W. F. Ettinger and S. M. Theg

329 **A nonfunctional sequence converted to a signal for glycophosphatidylinositol membrane anchor attachment.**
P. Moran and I. W. Caras

337 **Okadaic acid mimics a nuclear component required for cyclin B-cdc2 kinase microinjection to drive starfish oocytes into M phase.**
A. Picard, J.-C. Labbé, H. Barakat, J.-C. Cavadore, and M. Dorée

345 **Microtubule behavior in the growth cones of living neurons during axon elongation.**
E. M. Tanaka and M. W. Kirschner

365 **Microtubule polymer assembly and transport during axonal elongation.**
S. S. Reinsch, T. J. Mitchison, and M. Kirschner

381 **Microtubule behavior during guidance of pioneer neuron growth cones in situ.**
J. H. Sabry, T. P. O'Connor, L. Evans, A. Toroian-Raymond, M. Kirschner, and D. Bentley

397 **Filensin: a new vimentin-binding, polymerization-competent, and membrane-associated protein of the lens fiber cell.**
A. Merdes, M. Brunkener, H. Horstmann, and S. D. Georgatos

411 **The subcellular distribution of dystrophin in mouse skeletal, cardiac, and smooth muscle.**
T. J. Byers, L. M. Kunkel, and S. C. Watkins

423 **Fiber type– and position–dependent expression of a myosin light chain–CAT transgene detected with a novel histochemical stain for CAT.**
M. J. Donoghue, J. D. Alvarez, J. P. Merlie, and J. R. Sanes

435 **Cytoplasmic components of acetylcholine receptor clusters of cultured rat myotubes: the 58-kD protein.**
R. J. Bloch, W. G. Resneck, A. O'Neill, J. Strong, and D. W. Pumplin

447 **Regional distribution, developmental changes, and cellular localization of CNTF–mRNA and protein in the rat brain.**
K. A. Stöckli, L. E. Lillien, M. Näher-Noé, G. Breitfeld, R. A. Hughes, M. C. Raff, H. Thoenen, and M. Sendtner

461 **Aurintricarboxylic acid rescues PC12 cells and sympathetic neurons from cell death caused by nerve growth factor deprivation: correlation with suppression of endonuclease activity.**
A. Batistatou and L. A. Greene

473 **Astrocyte-derived TGF-β2 and NGF differentially regulate neural recognition molecule expression by cultured astrocytes.**
B. Saad, D. B. Constam, R. Ortmann, M. Moos, A. Fontana, and M. Schachner

485 **Hepatocyte adhesion to carbohydrate-derivatized surfaces. I. Surface topography of the rat hepatic lectin.**
O. A. Weisz and R. L. Schnaar

495 **Hepatocyte adhesion to carbohydrate-derivatized surfaces. II. Regulation of cytoskeletal organization and cell morphology.**
O. A. Weisz and R. L. Schnaar

505 **A plasma membrane protein is involved in cell contact-mediated regulation of tissue-specific genes in adult hepatocytes.**
A. Corlu, B. Kneip, C. Lhadi, G. Leray, D. Glaise, G. Baffet, D. Bourel, and C. Guguen-Guillouzo

517 **A role for the E-cadherin cell–cell adhesion molecule during tumor progression of mouse epidermal carcinogenesis.**
P. Navarro, M. Gómez, A. Pizarro, C. Gamallo, M. Quintanilla, and A. Cano

535 **Retinoic acid receptor γ: specific immunodetection and phosphorylation.**
C. Rochette-Egly, Y. Lutz, M. Saunders, I. Scheuer, M.-P. Gaub, and P. Chambon

547 **Cell transformation by *kFGF* requires secretion but not glycosylation.**
F. Fuller-Pace, G. Peters, and C. Dickson

557 **The selectin GMP-140 binds to sialylated, fucosylated lactosaminoglycans on both myeloid and nonmyeloid cells.**
Q. Zhou, K. L. Moore, D. F. Smith, A. Varki, R. P. McEver, and R. D. Cummings

565 **Expression of two nonallelic type II procollagen genes during *Xenopus laevis* embryogenesis is characterized by stage-specific production of alternatively spliced transcripts.**
M.-W. Su, H. R. Suzuki, J. J. Bieker, M. Solursh, and F. Ramirez

---

Volume 115, Number 3, November 1991

Mini-review

577 **Mitotic motors.**
J. R. McIntosh, and C. M. Pfarr

Regular Articles

587 **A conserved family of nuclear phosphoproteins localized to sites of polymerase II transcription.**
M. B. Roth, A. M. Zahler, and J. A. Stolk

597 **Three-dimensional reconstruction of the 70S *Escherichia coli* ribosome in ice: the distribution of ribosomal RNA.**
J. Frank, P. Penczek, R. Grassucci, and S. Srivastava

607 **An internal deletion in the cytoplasmic tail reverses the apical localization of human ngf receptor in transfected MDCK cells.**
Le-Bivic, A., Y. Sambuy, A. Patzak, N. Patil, M. Chao, and M. Rodriguez-Boulan

619 **Distinct intracellular fates of membrane and secretory immunoglobulin heavy chains in a pre-B cell line.**
A. K. Bachhawat and S. Pillai

625 **Association of Rab3A with synaptic vesicles at late stages of the secretory pathway.**
M. Matteoli, K. Takei, R. Cameron, P. Hurlbut, P. A. Johnston, T. C. Sudhof, R. Jahn, and P. De Camilli

635 **Tubular early endosomal networks in AtT20 and other cells.**
J. Tooze and M. Hollinshead

655 **Embryonal carcinoma cells transfected with ZP3 genes differentially glycosylate similar polypeptides and secrete active mouse sperm receptor.**
R. A. Kinloch, S. Mortillo, C. L. Stewart, and P. M. Wassarman

665 **Primary structure and domain organization of human alpha and beta adducin.**
R. Joshi, D. M. Gilligan, E. Otto, T. McLaughlin, and V. Bennett

677 **Kinetic analysis of F-actin depolymerization in polymorphonuclear leukocyte lysates indicates that chemoattractant stimulation increases actin filament number without altering the filament length distribution.**
M. L. Cano, D. A. Lauffenburger, and S. H. Zigmond

689 **The structural basis for the intrinsic disorder of the actin filament: the "lateral slipping" model.**
A. Bremer, R. C. Millonig, R. Sütterlin, A. Engel, T. D. Pollard, and U. Aebi

705 **Striated microtubule-associated fibers: identification of assemblin, a novel 34-kD protein that forms paracrystals of 2-nm filaments in vitro.**
K.-F. Lechtreck and M. Melkonian

717 **Tau protein binds to microtubules through a flexible array of distributed weak sites.**
K. A. Butner and M. W. Kirschner

731 **Developmentally and spatially regulated expression of HNK-1 carbohydrate antigen on a novel phosphatidylinositol-anchored glycoprotein in rat brain.**
Y. Yoshihara, S. Oka, Y. Watanabe, and K. Mori

745 **Phorbol esters selectively downregulate contractile protein gene expression in terminally differentiated myotubes through transcriptional repression and message destabilization.**
Y.-Y. Zhu, R. J. Schwartz, and M. T. Crow

755 **Acetylcholinesterase from the motor nerve terminal accumulates on the synaptic basal lamina of the myofiber.**
L. Anglister

765 **Effect of agrin on the distribution of acetylcholine receptors and sodium channels on adult skeletal muscle fibers in culture.**
M. T. Lupa and J. H. Caldwell

779 **Relationship between neuronal migration and cell-substratum adhesion: laminin and merosin promote olfactory neuronal migration but are anti-adhesive.**
A. L. Calof, and A. D. Lander

795 ***Ras* isoprenylation is required for *ras*-induced but not for NGF-induced neuronal differentiation of PC12 cells.**
M.-S. Qiu, A. F. Pitts, T. R. Winters, and S. H. Green

809 **Signal transduction by nerve growth factor and fibroblast growth factor in PC12 cells requires a sequence of Src and Ras actions.**
N. E. Kremer, G. D'Arcangelo, S. M. Thomas, M. DeMarco, J. S. Brugge, and S. Halegoua

821 **Evidence for nerve growth factor-mediated paracrine effects in human epidermis.**
M. Yaar, K. Grossman, M. Eller, and B. A. Gilchrest

829 **Expression of β_1, β_3, β_4, and β_5 integrins by human epidermal keratinocytes and non-differentiating keratinocytes.**
J. C. Adams, and F. M. Watt

843 **The major laminin receptor of mouse embryonic stem cells is a novel isoform of the $\alpha_6\beta_1$ integrin.**
H. M. Cooper, R. N. Tamura, and V. Quaranta

851 **Differences in the action and metabolism between retinol and retinoic acid in B lymphocytes.**
J. Buck, A. Myc, A. Garbe, and G. Cathomas

861 **Motility and ultrastructure of large granular lymphocytes on lipid bilayers reconstituted with adhesion receptors LFA-1, ICAM-1, and two isoforms of LFA-3.**
O. Carpén, M. L. Dustin, T. A. Springer, J. A. Swafford, L. A. Smith, and J. P. Caulfield

873 **Endothelins produced by endothelial cells promote collagen gell contraction by fibroblasts.**
C. Guidry and M. Hook

881 **Correction**

Volume 115, Number 4, November 1991

Mini-review

887 **An analysis of vertebrate mRNA sequences: intimations of translational control.**
M. Kozak

Regular Articles

905 **Transcription of the muscle regulatory gene *MYF4* is regulated by serum components, peptide growth factors and signaling pathways involving G proteins.**
A. Salminen, T. Braun, A. Buchberger-Seidl, S. Jürs, B. Winter, and H.-H. Arnold

919 **Compartmentalization within the nucleus: discovery of a novel subnuclear region.**
W. S. Saunders, C. A. Cooke, and W. C. Earnshaw

933 **Signal-mediated nuclear transport in proliferating and growth-arrested BALB/c 3T3 cells.**
C. M. Feldherr and D. Akin

941 **Cellular dimensions affecting the nucleocytoplasmic volume ratio.**
J. A. Swanson, M. Lee, and P. E. Knapp

949 **A novel approach to detect toxin-catalyzed ADP-ribosylation in intact cells: its use to study the action of *Pasteurella multocida* toxin.**
J. M. Staddon, M. M. Bouzyk, and E. Rozengurt

959 **Translocation of peptides through microsomal membranes is a rapid process and promotes assembly of HLA-B27 heavy chain and β2-microglobulin translated in vitro.**
F. Lévy, R. Larsson, and S. Kvist

971 **Ricin transport in Brefeldin A-treated cells: correlation between Golgi structure and toxic effect.**
K. Sandvig, K. Prydz, S. H. Hansen, and B. van Deurs

983 **Russell bodies: a general response of secretory cells to synthesis of a mutant immunoglobulin which can neither exit from, nor be degraded in, the endoplasmic reticulum.**
C. Valetti, C. E. Grossi, C. Milstein, and R. Sitia

995 **Acquisition of membrane lipids by differentiating glyoxysomes: role of lipid bodies.**
K. D. Chapman and R. N. Trelease

1009 **Subcellular localization of Forssman glycolipid in epithelial MDCK cells by immuno-electron-microscopy after freeze-substitution.**
I. L. van Genderen, G. van Meer, J. W. Slot, H. J. Geuze, and W. F. Voorhout

1021 **A sialoglycoprotein complex linked to the microvillus cytoskeleton acts as a receptor for pilus (AF/R1) mediated adhesion of enteropathogenic *Escherichia coli* (RDEC-1) in rabbit small intestine.**
P. Rafiee, H. Leffler, J. C. Byrd, F. J. Cassels, E. C. Boedeker, and Y. S. Kim

1031 **Demonstration of calcium uptake and release by sea urchin egg cortical endoplasmic reticulum.**
M. Terasaki and C. Sardet

1039 **Radixin is a novel member of the band 4.1 family.**
N. Funayama, A. Nagafuchi, N. Sato, S. Tsukita, and S. Tsukita

1049 **Structural features of Ca^{2+}/calmodulin-dependent protein kinase II revealed by electron microscopy.**
T. Kanaseki, Y. Ikeuchi, H. Sugiura, and T. Yamauchi

1061 **Biosynthesis of membrane lipids in rat axons.**
J. E. Vance, D. Pan, D. E. Vance, and R. B. Campenot

1069 **Dystrophin is a component of the subsynaptic membrane.**
J. E. Yeadon, H. Lin, S. M. Dyer, and S. J. Burden

1077 **Connexin46, a novel lens gap junction protein, induces voltage-gated currents in nonjunctional plasma membrane of *Xenopus* oocytes.**
D. L. Paul, L. Ebihara, L. J. Takemoto, K. I. Swenson, and D. A. Goodenough

1091 **Immunohistochemical localization of TGFβ1, TGFβ2, and TGFβ3 in the mouse embryo: expression patterns suggest multiple roles during embryonic development.**
R. W. Pelton, B. Saxena, M. Jones, H. L. Moses, and L. I. Gold

1107 **In vivo paracrine interaction between urokinase and its receptor: effect on tumor cell invasion.**
L. Ossowski, G. Clunie, M.-T. Masucci, and F. Blasi

1113 **Neurite outgrowth on immobilized axonin-1 is mediated by a heterophilic interaction with L1(G4)**
T. B. Kuhn, E. T. Stoeckli, M. A. Condrau, F. G. Rathjen, and P. Sonderegger

1127 **Focal adhesion integrity is downregulated by the alternatively spliced domain of human tenascin.**
J. E. Murphy-Ullrich, V. A. Lightner, I. Aukhil, Y. Z. Yan, H. P. Erickson, and M. Höök

1137 **Synthetic peptides from the carboxy-terminal globular domain of the A chain of laminin: their ability to promote cell adhesion and neurite outgrowth, and interact with heparin and the β1 integrin subunit.**
A. P. N. Skubitz, P. C. Letourneau, E. Wayner, and L. T. Furcht

1149 **Cloning and expression of cDNAs for the α subunit of the murine lymphocyte-Peyer's patch adhesion molecule.**
H. Neuhaus, M. C.-T. Hu, M. E. Hemler, Y. Takada, B. Holzmann, and I. L. Weissman

1159 **Mini-collagens in hydra nematocytes.**
E. M. Kurz, T. W. Holstein, B. M. Petri, J. Engel, and C. N. David

1171 **Elevated extracellular calcium concentrations induce type X collagen synthesis in chondrocyte cultures.**
D. K. Bonen and T. M. Schmid

1179 **Vitronectin receptor has a role in bone resorption but does not mediate tight sealing zone attachment of osteoclasts to the bone surface.**
P. T. Lakkakorpi, M. A. Horton, M. H. Helfrich, E.-K. Karhukorpi, and H. K. Väänänen

1187 ADDITIONS AND CORRECTIONS
Microtubule sliding in swimming sperm flagella: direct and indirect measurements on sea urchin and tunicate spermatozoa.
C. J. Brokaw

1189 **Placement Service Notices**

1191 **Discrete nuclear domains of poly(A) RNA and their relationship to the functional organization of the nucleus.**
K. C. Carter, K. L. Taneja, and J. B. Lawrence

1203 **$p34^{cdc2}$-mediated phosphorylation at T^{124} inhibits nuclear import of SV-40 T antigen proteins.**
D. A. Jans, M. J. Ackermann, J. R. Bischoff, D. H. Beach, and R. Peters

1213 **Intracellular transport and localization of major histocompatibility complex class II molecules and associated invariant chain.**
J. Pieters, H. Horstmann, O. Bakke, G. Griffiths, and J. Lipp

1225 **A permeabilized cell system identifies the endoplasmic reticulum as a site of protein degradation.**
F. J. Stafford and J. S. Bonifacino

1237 **Altered expression of an L1-specific, O-linked cuticle surface glycoprotein in mutants of the nematode *Caenorhabditis elegans*.**
R. M. Hemmer, S. G. Donkin, K. J. Chin, D. G. Grenache, H. Bhatt, and S. M. Politz

1249 **A role for unsaturated fatty acids in mitochondrial movement and inheritance.**
L. C. Stewart and M. P. Yaffe

1259 **Slow calcium waves accompany cytokinesis in medaka fish eggs.**
R. A. Fluck, A. L. Miller, and L. F. Jaffe

1267 **The distribution of myosin II in *Dictyostelium discoideum* slug cells.**
S. Eliott, P. H. Vardy, and K. L. Williams

1275 **Uncoupled cell cycle without mitosis induced by a protein kinase inhibitor, K-252a.**
T. Usui, M. Yoshida, K. Abe, H. Osada, K. Isono, and T. Beppu

1283 **Variations in the cytoskeletal interaction and posttranslational modification of the CD44 homing receptor in macrophages.**
R. Camp, T. A. Kraus, and E. Puré

1293 **Intermediate filaments formed de novo from tail-less cytokeratins in the cytoplasm and in the nucleus.**
B. L. Bader, T. M. Magin, M. Freudenmann, S. Stumpp, and W. W. Franke

1309 **Two activators of microtubule-based vesicle transport.**
T. A. Schroer and M. P. Sheetz

1319 **A new 440-kD isoform is the major ankyrin in neonatal rat brain.**
M. Kunimoto, E. Otto, and V. Bennett

1333 **Processes induced by Tau expression in Sf9 cells have an axon-like microtubule organization.**
P. W. Baas, T. P. Pienkowski, and K. S. Kosik

1345 **Dihydropyridine receptor α subunits in normal and dysgenic muscle in vitro: expression of α_1 is required for proper targeting and distribution of α_2.**
B. E. Flucher, J. L. Phillips, and J. A. Powell

1357 **Biochemical analysis of connexin43 intracellular transport, phosphorylation, and assembly into gap-junctional plaques.**
L. S. Musil and D. A. Goodenough

1375 **Cytoplasmic dye transfer between metastatic tumor cells and vascular endothelium.**
M. E. El-Sabban and B. U. Pauli

1383 **Control of mammary epithelial differentiation: basement membrane induces tissue-specific gene expression in the absence of cell–cell interaction and morphological polarity.**
C. H. Streuli, N. Bailey, and M. J. Bissell

1397 **Hybrid cell lines constitute a potential reservoir of polarized cells: isolation and study of highly differentiated hepatoma-derived hybrid cells able to form functional bile canaliculi in vitro.**
D. Cassio, C. Hamon-Benais, M. Guérin, and O. Lecoq

1409 **Dihydrofolate reductase gene amplification-associated shift of differentiation in methotrexate-adapted HT-29 cells.**
T. Lesuffleur, A. Barbat, C. Luccioni, J. Beaumatin, M. Claire, A. Kornowski, E. Dussaulx, B. Dutrillaux, and A. Zweibaum

1419 **G1/S control of anchorage-independent growth in the fibroblast cell cycle.**
T. M. Guadagno and R. K. Assoian

1427 **Integrin $\alpha_2\beta_1$ is upregulated in fibroblasts and highly aggressive melanoma cells in three-dimensional collagen lattices and mediates the reorganization of collagen I fibrils.**
C. Eberhard Klein, D. Dressel, T. Steinmayer, C. Mauch, B. Eckes, T. Krieg, R. B. Bankert, and L. Weber

1437 **Endogenous muscle lectin inhibits myoblast adhesion to laminin.**
D. N. W. Cooper, S. M. Massa, and S. H. Barondes

1449 **A 220-kD undercoat-constitutive protein: its specific localization at cadherin-based cell–cell adhesion sites.**
M. Itoh, S. Yonemura, A. Nagafuchi, S. Tsukita, and S. Tsukita

1463 **Uncoupling of chondroitin sulfate glycosaminoglycan synthesis by brefeldin A.**
R. C. Spiro, H. H. Freeze, D. Sampath, and J. A. Garcia

1475 **ADDITIONS AND CORRECTIONS**
Naturally occurring mutations in intestinal sucrase-isomaltase provide evidence for the existence of an intracellular sorting signal in the isomaltase subunit.
J. A. M. Fransen, H.-P. Hauri, L. Ginsel and H. Y. Naim

Volume 115, Number 6, December 1991

1479 **Cell cycle control of higher-order chromatin assembly around naked DNA in vitro.**
T. Hirano and T. J. Mitchison

1491 **Characterization of the immature secretory granule, an intermediate in granule biogenesis.**
S. A. Tooze, T. Flatmark, J. Tooze, and W. B. Huttner

1505 **Milieu-induced, selective aggregation of regulated secretory proteins in the *trans*-Golgi network.**
E. Chanat and W. B. Huttner

1521 **Isolation, characterization, and expression of cDNAs encoding murine α-mannosidase II, a Golgi enzyme that controls conversion of high mannose to complex N-glycans.**
K. Moremen and P. Robbins

1535 **Insulin receptors internalize by a rapid, saturable pathway requiring receptor autophosphorylation and an intact juxtamembrane region.**
J. M. Backer, S. E. Shoelson, E. Haring, and M. F. White

1547 **The influence of particle size and multiple apoprotein E–receptor interactions on the endocytic targeting of β-VLDL in mouse peritoneal macrophages.**
I. Tabas, J. N. Myers, T. L. Innerarity, X.-X. Xu, K. Arnold, J. Boyles, and F. R. Maxfield

1561 **Distribution of newly synthesized lysosomal enzymes in the endocytic pathway of normal rat kidney cells.**
T. Ludwig, G. Griffiths, and B. Hoflack

1573 **An endogenous MDCK lysosomal membrane glycoprotein is targeted basolaterally before delivery to lysosomes.**
I. R. Nabi, A. Le Bivic, D. Fambrough, and E. Rodriguez-Boulan

1585 **Evidence from lateral mobility studies for dynamic interactions of a mutant influenza hemagglutinin with coated pits.**
E. Fire, D. E. Zwart, M. G. Roth, and Y. I. Henis

1595 **Fusion of sequence elements from non-anchored proteins to generate a fully functional signal for glycophosphatidylinositol membrane anchor attachment.**
P. Moran and I. W. Caras

1601 **Protein folding causes an arrest of preprotein translocation into mitochondria in vivo.**
U. Wienhues, K. Becker, M. Schleyer, B. Guiard, M. Tropschug, A. L. Horwich, N. Pfanner, and W. Neupert

1611 **Characterization of actin filament severing by actophorin from *Acanthamoeba castellanii*.**
S. K. Maciver, H. G. Zot, and T. D. Pollard

1621 **The actin filament severing protein actophorin promotes the formation of rigid bundles of actin filaments crosslinked with α-actinin.**
S. K. Maciver, D. Wachsstock, W. H. Schwarz, and T. D. Pollard

1629 **Direct observation of actin filament severing by gelsolin and binding by GCAP 39 and CAPZ.**
E. L. Bearer

1639 **Dynactin, a conserved, ubiquitously expressed component of an activator of vesicle motility mediated by cytoplasmic dynein.**
S. R. Gill, T. A. Schroer, I. Szilak, E. R. Steuer, M. P. Sheetz, and D. W. Cleveland

1651 **Uncoupling of *Chlamydomonas* flagellar gene expression and outgrowth from flagellar excision by manipulation of Ca^{2+}**
J. L. Cheshire and L. R. Keller

1661 **A function for keratins and a common thread among different types of epidermolysis bullosa simplex diseases.**
P. A. Coulombe, M. E. Hutton, R. Vassar, and E. Fuchs

1675 **Polarized and functional epithelia can form after the targeted inactivation of both mouse keratin 8 alleles.**
H. Baribault and R. G. Oshima

1685 **Dystrophin-associated proteins are greatly reduced in skeletal muscle from mdx mice.**
K. Ohlendieck and K. P. Campbell

1695 **Localization of the DMDL gene–encoded dystrophin-related protein using a panel of nineteen monoclonal antibodies: presence at neuromuscular junctions, in the sarcolemma of dystrophic skeletal muscle, in vascular and other smooth muscles, and in proliferating brain cell lines.**
N. thi Man, J. M. Ellis, D. R. Love, K. E. Davies, K. C. Gatter, G. Dickson, and G. E. Morris

1701 **Increased calcium influx in dystrophic muscle.**
P. R. Turner, P. Fong, W. F. Denetclaw, and R. A. Steinhardt

1713 **Mutagenesis of the 43-kD postsynaptic protein defines domains involved in plasma membrane targeting and AChR clustering.**
W. D. Phillips, M. Maimone, and J. P. Merlie

1725 **A cell culture model of the blood–brain barrier.**
L. L. Rubin, D. E. Hall, S. Porter, K. Barbu, C. Cannon, H. C. Horner, M. Janatpour, C. W. Liaw, K. Manning, J. Morales, L. I. Tanner, K. J. Tomaselli, and F. Bard

1737 **Surface relocation of alpha$_6$beta$_4$ integrins and assembly of hemidesmosomes in an in vitro model of wound healing.**
M. A. Kurpakus, V. Quaranta, and J. C. R. Jones

1751 **Neural cell adhesion molecule (NCAM) mediates contact-dependent inhibition of growth of near-diploid mouse fibroblast cell line m5S/1M.**
J. Aoki, M. Umeda, K. Takio, K. Titani, H. Utsumi, M. Sasaki, and K. Inoue

1763 **Two alternatively spliced mouse urokinase receptor mRNAs with different histological localization in the gastrointestinal tract.**
P. Kristensen, J. Eriksen, F. Blasi, and K. Danø

1773 **Thrombin neutralizes plasminogen activator inhibitor 1 (PAI-1) that is complexed with vitronectin in the endothelial cell matrix.**
H. J. Ehrlich, R. K. Gebbink, K. T. Preissner, J. Keijer, N. L. Esmon, K. Mertens, and H. Pannekoek

1783 **Development of *Phodopus sungorus* brown preadipocytes in primary cell culture: effect of an atypical beta-adrenergic agonist, insulin, and triiodothyronin on differentiation, mitochondrial development, and expression of the uncoupling protein UCP.**
S. Klaus, A.-M. Cassard-Doulcier, and D. Ricquier

1791 AUTHOR INDEX FOR VOLUME 115

1817 SUBJECT INDEX FOR VOLUME 115

1835 ACKNOWLEDGMENT